

Références bibliographiques de la formation n° 98062325061

1. HAS Episode dépressif caractérisé de l'adulte : prise en charge en soins de premier recours. Recommandation de Bonne Pratique. Saint Denis, France. Haute Autorité de Santé ; Oct 2017
2. Episode dépressif caractérisé de l'adulte : prise en charge en soins de premier recours 1. Diagnostic Haute Autorité de Santé ; Oct 2017
3. Episode dépressif caractérisé de l'adulte : prise en charge en soins de premier recours 2. Prise en charge thérapeutique et suivi Haute Autorité de Santé ; Oct 2017
4. La dépression touche trois millions de Français. Santé publique France
5. Référentiel de Psychiatrie et Addictologie Collège national universitaire de psychiatrie CNUP 2020.
6. Agence française de sécurité sanitaire des produits de santé. Bon usage des médicaments antidépresseurs dans le traitement des troubles dépressifs et des troubles anxieux de l'adulte. Recommandations. Octobre 2006.
7. American Psychiatric Association. (2013). Diagnostic and Statistical Manual of Mental Disorders (5th ed.). Arlington, VA: American Psychiatric Publishing.
8. World Health Organization. (2018). International Statistical Classification of Diseases and Related Health Problems (11th ed.). Genève: World Health Organization.
9. Kupfer, D. J., Frank, E., & Phillips, M. L. (2012). Major depressive disorder: new clinical, neurobiological, and treatment perspectives. *Lancet*, 379(9820), 1045-1055.
10. Cuijpers, P., Karyotaki, E., Weitz, E., Andersson, G., Hollon, S. D., & van Straten, A. (2020). The effects of psychotherapies for major depression in adults on remission, recovery and improvement: A meta-analysis. *Journal of Affective Disorders*, 263, 1-13. doi: 10.1016/j.jad.2019.11.117
11. Schuch, F. B., Vancampfort, D., Richards, J., Rosenbaum, S., Ward, P. B., & Stubbs, B. (2016). Exercise as a treatment for depression: A meta-analysis adjusting for publication bias. *Journal of Psychiatric Research*, 77, 42-51. doi: 10.1016/j.jpsychires.2016.02.023
12. Mutz, J., Edgcumbe, D. R., Brunoni, A. R., & Fu, C. H. Y. (2018). Efficacy and acceptability of non-invasive brain stimulation for the treatment of adult unipolar and bipolar depression: A systematic review and network meta-analysis of randomised controlled trials. *Psychological Medicine*, 48(16), 2621-2632. doi: 10.1017/S0033291718000322
13. UK ECT Review Group. (2003). Efficacy and safety of electroconvulsive therapy in depressive disorders: A systematic review and meta-analysis. *The Lancet*, 361(9360), 799-808. doi: 10.1016/S0140-6736(03)12705-5
14. Rush, A. J., Trivedi, M. H., & Wisniewski, S. R. (2006). Acute and longer-term outcomes in depressed outpatients requiring one or several treatment steps: a STAR*D report. *American Journal of Psychiatry*, 163(11), 1905-1917.
15. Berton, O., & Nestler, E. J. (2006). New approaches to antidepressant drug discovery: beyond monoamines. *Nature Reviews Neuroscience*, 7(2), 137-151.
16. Cipriani, A., Furukawa, T. A., & Geddes, J. R. (2018). Comparative efficacy and acceptability of 21 antidepressant drugs for the acute treatment of adults with

major depressive disorder: a systematic review and network meta-analysis. *Lancet*. 2018 Apr 7;391(10128):1357-1366.

17. Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: Validity of a brief depression severity measure. *Journal of General Internal Medicine*, 16(9), 606-613
18. Kessler, R. C., Berglund, P., & Demler, O. (2003). The epidemiology of major depressive disorder: results from the National Comorbidity Survey Replication (NCS-R). *JAMA*, 289(23), 3095-3105.
19. Caspi, A., Sugden, K., & Moffitt, T. E. (2003). Influence of life stress on depression: moderation by a polymorphism in the 5-HTT gene. *Science*, 301(5631), 386-389.
20. Nock, M. K., Borges, G., Bromet, E. J., Cha, C. B., Kessler, R. C., & Lee, S. (2008). Suicide and suicidal behavior. *Epidemiologic Reviews*, 30(1), 133-154.
21. Hasler, G. (2010). Pathophysiology of depression: do we have any solid evidence of interest to clinicians ? *World Psychiatry*, 9(3), 155-161.
22. Insel, T. R., & Wang, P. S. (2009). Rethinking mental illness. *JAMA*, 302(1), 47-48.
23. Nemeroff, C. B. (2007). The burden of severe depression: a review of diagnostic challenges and treatment alternatives. *Journal of Psychiatric Research*, 41(3-4), 189-206.
24. Trivedi, M. H., Rush, A. J., & Wisniewski, S. R. (2006). Evaluation of outcomes with citalopram for depression using measurement-based care in STAR*D: : implications for clinical practice. *Am J Psychiatry*. 2006 Jan;163(1):28-40
 1. Cleare A, Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. *J Psychopharmacol*. 2015 May;29(5):459-525.
25. Depression in adults: treatment and management NICE guideline [NG222] Published: 29 June 2022
26. Bipolar disorder: assessment and management Clinical guideline [CG185] Published: 24 September 2014 Last updated: 11 February 2020